

Material Safety Data Sheet

Report No. : OUPU20101201C001
Company: Pretty Face
Address: P/B 9354, 1800 GJ Alkmaar
Telephone No.: 0031-614970780
Fax No. :

Product Information:

1 Identification of the substance/ Preparation and of the company/undertaking

-Product Details

-Trade name: Body Painting

-Manufacturer/Supplier: Pretty Face PostBox 9354 1800GJ Alkmaar GJ Alkmaar

2 Composition/information on ingredients

Chemical characterization

Chemical Name	CAS	Composition(in%byweight)
<u>Black</u>		
1. IRON OXIDES	CAS: 1332-37-2	45
2. WATER	CAS: 7732-18-5	40
3. CALCIUM CARBONATE	CAS: 471-34-1	10
4. ACACIA SENEGAL GUM	CAS: 9000-01-5	3
5. GLYCERIN	CAS: 56-81-5	2

White

1. TITANIUM DIOXIDE	CAS: 13463-67-7	45
2. WATER	CAS: 7732-18-5	40
3. CALCIUM CARBONATE	CAS: 471-34-1	10
4. ACACIA SENEGAL GUM	CAS: 9000-01-5	3
5. GLYCERIN	CAS: 56-81-5	2

Blue

1. BLUE 1	CAS: 3844-45-9	45
2. WATER	CAS: 7732-18-5	40
3. CALCIUM CARBONATE	CAS: 471-34-1	10
4. ACACIA SENEGAL GUM	CAS: 9000-01-5	3
5. GLYCERIN	CAS: 56-81-5	2

Red

1. RED 40	CAS: 25956-17-6	45
2. WATER	CAS: 7732-18-5	40
3. CALCIUM CARBONATE	CAS: 471-34-1	10
4. ACACIA SENEGAL GUM	CAS: 9000-01-5	3
5. GLYCERIN	CAS: 56-81-5	2

Yellow

1. YELLOW 5	CAS: 1934-21-0	45
2. WATER	CAS: 7732-18-5	40
3. CALCIUM CARBONATE	CAS: 471-34-1	10
4. ACACIA SENEGAL GUM	CAS: 9000-01-5	3
5. GLYCERIN	CAS: 56-81-5	2

3 Hazards indentification

.Dangerous property: No.

.Inhalation: No.

.Skin Contact: Irritating to eyes.

.Eye Contact: Irritating to eyes.

.Environmental Hazards: Do not discharge the waste into environment at random.

.Potential Chronic Health Effects:No.

4 First aid measures

.After eye contact:

In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

.After ingestion:

Drink enough water, Get immediate medical attention.

5 Fire-fighting measures

.Hazard property: No.

.General Information: Do not Burn.

6 Accidental release measures

It is Cream, Do not Release, It will not Leave the Package If the Package Damaged Except Watered.

7 Handling and storage

Handling attention: Closed operation, ensure well-ventilated. Avoid dust release. The operator must be trained professionally, comply operation instruction. There should be equipped emergency handling apparatus and keep out of reach of children. Do not consume food, drink or smoke while handling this material.

Storage attention: Store in a cool, dry and well-ventilated area. Keep away from ignition sources & high heat. Use ventilating device. The warehouse should be equipped with release emergency handling equipment.

8 Exposure controls/personal protection

Engineering Controls: Closed operation and well-ventilated. Safety shower bath and eye wash facility should be available.

Other Personal Protection Data: Do not eat, drink or smoke in the workshop. Wash work clothing timeliness. Take attention to personal hygiene.

9 Physical and chemical properties

.GeneralInformation

Appearance:	Boxed
Color:	Black,White,Blue,Red,Yellow
Odor:	Sweet-scented

. Change in condition

Melting point/Melting range:	Cream
Boiling point/Boiling range:	No. Data

.Flashpoing:	No.Data
--------------	---------

.Self-igniting:	NoDotSelf-igniting
-----------------	--------------------

.Dangerofexplosion:	NoData
---------------------	--------

.Density:	No Data
-----------	---------

.Relative density:	No Data
--------------------	---------

.Vapor density:	No Data
-----------------	---------

.Evaporation rate:	No Data
--------------------	---------

.SolubilityinWaterorothers:	Insolubleinwater,solubleinethers.
-----------------------------	-----------------------------------

.PH-Value:	6.0-7.0
------------	---------

.Enduse:	BodyPainting
----------	--------------

10 Stability and reactivity

.Stability:Stable under normal temperatures and pressures.

.Conditions to Avoid: High heat,Water.

.Hazardous Decomposition: Water.

.Hazardous Polymerization: Will not occur.

.Materials to avoid: No data.

11 Toxicological information

.Please refers to section 3 for hazards identification.

.Toxicity data:Not Toxic

According to the experience and the relevant materials, the substance does not cause acute poisoning to human. It does not belong to toxic substance.

The sample does not have narcotic, noxious, irritating and other characters to cause extreme annoyance or discomfort to crewmembers and passengers, so it does not belong to miscellaneous dangerous goods.

The sample does not react with many deoxidizing materials, so it does not belong to oxidizer of division.

The sample does not react with normal metals and has no harm to skin, so it does not belong to corrosives.

12 Ecological information

Do not discharge the waste into environment at random.

13 Disposal considerations

.Waste Disposal Methods:

Waste disposal should be in accordance with existing local environmental control laws or handling.

14 Transport information

The information provided in this section is for information only . Please apply the appropriate regulations to properly classify your shipment for transport.

.Packing method: Bottled

.Transport attention: The packing should be complete and loading should be stable before shipping. The carrier vehicle should be equipped with corresponding fire-fighting equipment a treatment apparatus. Avoid exposure, raining and high temperature during transportation. Keep away from high heat.

15 Regulatory information

European/International Regulations

.Safety phrases:

Keep container in a well-ventilated place.

Keep away from sources of ignition.

When using do not eat, drink, keep away children.

.Risk phrases:

Irritating to eyes.

For detailed regulations you should contact the appropriate agency in your country.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Water based Essential Make UP and Face Paint Products (Essential Aqua Colors products)

Diamond fx products are manufactured in accordance with FDA & European Union guidelines. They conform to the USA ASTM D 4236 & European 76/768/EEC & CE EN 71 CODES. The components & end resulting products are just as safe to use on the face & body as any good quality cosmetic. Our ingredients meets cosmetic guidelines both in the United States & the European Community & is designed to be used on children & adults.

The data presented in this “material data safety sheet” represents the safety information on each component of our product. The components , as a final commodity , are stable , easy on the skin , & wash off with soap & water .

Make up can also be removed with many types of facial cleansers , or baby oil.

Like most Make-up , dark colours on some people may leave a bit of residue on the skin for a few hours after washing . this also depends on how long the make- up remains on the skin & the type of complexion of the person.

FDA recommends that all red make- up be kept at least one half inch from eyes.

Product Ingredients : (water based product) Our products contain some or all of the following ingredients:
Calcium Carbonate , Dextrin , Beeswax , Glycerine, Titanium



www.diamondfx-faceart.eu
info@diamondfx-faceart.eu
postbus 9354
18009J Alkmaar

DFX Essentials MSDS

PRODUCT NAME Diamond FX Face Paints
APPLICATION Face And Body Painting And Special Effects
DESCRIPTION: Aquacolor Face & Body Paints

Composition, Information on Ingredients
Paints formulation with wax, petrolatum, glycerin, calcium carbonate, Stearyl alcohol, sodium benzoate, acacia senegal, dextrin, water, perfume and pigments. Contains no hazardous ingredients.

Hazards Identification
Emergency Overview

Appearance Odour
Not a health hazard. Not a significant fire hazard

HMIS Rating
CoCloulorrsssoolildid mild fruity
HEALTH FLAMMABILITY REACTIVITY
0 0 0 0 0
4=severe 4=severe 3=serious 3=serious 2=m2=omdeordaeterate 1=1s=lsiglihgtht
0=0m=imiiniaml al

Potential Health Effects Immediate Hazards
NGESTION: INHALATION: SKIN : EYES:
Delayed Hazards
No hazards known

First Aid Measures
NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

SKIN CONTACT
Wash skin with soap and water.

EYE CONTACT
Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

FIRE-FIGHTING MEASURES
EXTINGUISHING MEDIA This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Accidental Release Measures
Protective measures Personal; Children under 6 years should use with adult supervision.

SPILL CLEAN UP METHODS No specific clean-up procedure noted.

HANDLING AND STORAGE
USAGE PRECAUTIONS No specific usage precautions noted.
STORAGE PRECAUTIONS Keep in original container. Store at moderate temperatures in dry, well ventilated area.

Toxicological Information

Toxicological information can be found at our website, along the ingredient lists

Stability and Reactivity
Normally stable

Conditions to Avoid:
Exposure in water or to wet
Incompaibilities:
None known,

Decomposition products may Include:
Calcium oxide, water, carbon dioxide
Hazardous polymerization
Will not occur.
Other Hazards:
None known.

Transport Information
US: Department of Transportation (DOT)
The data provided in this section is for information only and may not be specific for your package size .
You will need to apply the appropriate regulations to properly classify your shipment for transportation
NOT REGULATED

Canadian Transportation of Dangerous Goods (TDG)
NOT REGULATED

Europe Transportation of Dangerous Goods
NOT REGULATED

Regulatory information (Selected Regulations)

U:S: Federal Regulations These Paint products CONFORMS to the health requirements of ASTM D-4236 and FDA these products must bear the following statement: " Conforms to ASTM D-4236".

Canadian Regulations
Unknow

These paint products CONFORMS to EU 76/768/EEC, and CE EN-71. 15.4These paint products pass -BAM, 8th Edition by FDA.

Stability and Reactivity

Normally stable
Conditions to Avoid:
Exposure in water or too wet
Incompaibilities:
None known,
Decomposition products may Include:
Calcium oxide, water, carbon dioxide
Hazardous polymerization
Will not occur.
Other Hazards:
None known.

Percent Volatiles	<1.5% water
PH @ 20	-----
Specific Gravity	1.70±0.30g/ml
Appearance	Colors Solid
Autoignition Temperature	N/A
Melting Point	>250
Vapor Pressure hPA @20	N/A kg/cm
Evaporation Rate (Butyl Acetare=1)	N/A
Upper/Lowe/Explosive Limits,% by Vol	N/A
Upper/Lower flammable Limlts	N/A
Flash Point	>150
Odor Treshold. ppm	N/A
Solubility in Water	Soluble
Coefficient of water/Oil Distribution	N/A

Exposure Controls/Personal Protection

Exposure Controls
No special control measures necessary under normal conditions of use.
Personal Protection
No special protection necessary.
Exposure Guidelines
None established.

COMPOSTION OF THE PRODUCTS:

Raw materials	CI/NO	CAS/NO	%	FD&C	EU
Paraffin Wax		8002-74-2	20%	o	o
Petrolatum		8009-03-8	18%	o	o
Glycerine		56-81-5	10%	o	o
Calcium Carbonate		471-34-1	23,6%	o	o
		1317-65-3		o	o
Stearyl Alcohol		112-92-5	5%	o	o
Sodium Benzoate		532-32-1	0,2%	o	o
Acacia Senegal		9000-01-5	0,8%	o	o
Dextrin		9004-53-9	14,2%	o	o
Water			1%	o	o
Perfume for body			0,2%	o	o
Pigment			7%		

Water based **Metallic** Make UP and Face Paint Products (**Metallic** Aqua Colors products)

Diamond fx products are manufactured in accordance with FDA & European Union guidelines. They conform to the USA ASTM D 4236 & European 76/768/EEC & CE EN 71 CODES. The components & end resulting products are just as safe to use on the face & body as any good quality cosmetic. Our ingredients meets cosmetic guidelines both in the United States & the European Community & is designed to be used on children & adults.

The data presented in this “material data safety sheet” represents the safety information on each component of our product. The components , as a final commodity , are stable , easy on the skin , & wash off with soap & water .

Make up can also be removed with many types of facial cleansers , or baby oil.

Like most Make-up , dark colours on some people may leave a bit of residue on the skin for a few hours after washing . this also depends on how long the make- up remains on the skin & the type of complexion of the person.

FDA recommends that all red make- up be kept at least one half inch from eyes.

Product Ingredients : (water based product) Our products contain some or all of the following ingredients:
Calcium Carbonate , Dextrin , Beeswax , Glycerine, Titanium



www.diamondfx-faceart.eu

info@diamondfx-faceart.eu

postbus 9354

18009J Alkmaar

DFX **Metallic** MSDS

PRODUCT NAME Diamond FX Face Paints
APPLICATION Face And Body Painting And Special Effects
DESCRIPTION: Aquacolor Face & Body Paints

Composition, Information on Ingredients
Paints formulation with wax, petrolatum, glycerin, calcium carbonate, Stearyl alcohol, sodium benzoate, acacia senegal, dextrin, water, perfume and pigments. Contains no hazardous ingredients.

Hazards Identification
Emergency Overview

Appearance Odour
Not a health hazard. Not a significant fire hazard

HMIS Rating
CoCloulorrsssoolildid mild fruity
HEALTH FLAMMABILITY REACTIVITY
0 0 0 0 0
4=severe 4=severe 3=serious 3=serious 2=m2=omdeordaeterate 1=1s=lsiglihgtht
0=0m=imiiniaml al

Potential Health Effects Immediate Hazards
NGESTION: INHALATION: SKIN : EYES:
Delayed Hazards
No hazards known

First Aid Measures
NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

SKIN CONTACT
Wash skin with soap and water.

EYE CONTACT
Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

FIRE-FIGHTING MEASURES
EXTINGUISHING MEDIA This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Accidental Release Measures
Protective measures Personal; Children under 6 years should use with adult supervision.

SPILL CLEAN UP METHODS No specific clean-up procedure noted.

HANDLING AND STORAGE
USAGE PRECAUTIONS No specific usage precautions noted.
STORAGE PRECAUTIONS Keep in original container. Store at moderate temperatures in dry, well ventilated area.

Toxicological Information

Toxicological information can be found at our website, along the ingredient lists

Stability and Reactivity
Normally stable

Conditions to Avoid:
Exposure in water or to wet
Incompaibilities:
None known,

Decomposition products may Include:
Calcium oxide, water, carbon dioxide
Hazardous polymerization
Will not occur.
Other Hazards:
None known.

Transport Information
US: Department of Transportation (DOT)
The data provided in this section is for information only and may not be specific for your package size .
You will need to apply the appropriate regulations to properly classify your shipment for transportation
NOT REGULATED

Canadian Transportation of Dangerous Goods (TDG)
NOT REGULATED

Europe Transportation of Dangerous Goods
NOT REGULATED

Regulatory information (Selected Regulations)

U:S: Federal Regulations These Paint products CONFORMS to the health requirements of ASTM D-4236 and FDA these products must bear the following statement: " Conforms to ASTM D-4236".

Canadian Regulations
Unknow

These paint products CONFORMS to EU 76/768/EEC, and CE EN-71. 15.4These paint products pass -BAM, 8th Edition by FDA.

Stability and Reactivity

Normally stable
Conditions to Avoid:
Exposure in water or too wet
Incompaibilities:
None known,
Decomposition products may Include:
Calcium oxide, water, carbon dioxide
Hazardous polymerization
Will not occur.
Other Hazards:
None known.

Percent Volatiles PH @ 20	<1.5% water -----
Specific Gravity	1.70±0.30g/ml
Appearance	Colors Solid
Autoignition Temperature	N/A
Melting Point	>250
Vapor Pressure hPA @20	N/A kg/cm
Evaporation Rate (Butyl Acetare=1)	N/A
Upper/Lowe/Explosive Limits,% by Vol	N/A
Upper/Lower flammable Limlts	N/A
Flash Point	>150
Odor Treshold. ppm	N/A
Solubility in Water	Soluble
Coefficient of water/Oil Distribution	N/A

Exposure Controls/Personal Protection

Exposure Controls
No special control measures necessary under normal conditions of use.
Personal Protection
No special protection necessary.
Exposure Guidelines
None established.

COMPOSTION OF THE PRODUCTS:

Raw materials	CI/NO	CAS/NO	%	FD&C	EU
Paraffin Wax		8002-74-2	26%	o	o
Petrolatum		8009-03-8	20%	o	o
Glycerine		56-81-5	5%	o	o
Calcium Carbonate		471-34-1	11,75%	o	o
		1317-65-3		o	o
Stearyl Alcohol		68439-50-9	2%	o	o
		112-92-5		o	o
Sodium Benzoate		532-32-1	0,25%	o	o
Acacia Senegal Gum		9000-01-5	8%	o	o
Dextrin		9004-53-9	8%	o	o
Mica	77019	12001-26-2	12%	o	o
Pigments			7%		

